

Teacher's guide for "eAarjav.Structure" system

User guide update 15.01.2025



Content

1. Introduction	
1.1. Terms and definitions	4
1.2. Purpose and conditions of use	5
2. Preparation for the start	6
2.1. Workplace	6
2.2. Log in and log out from the system	6
2.3. Role change	7
3. Profile	8
4. Customer Care Service	8
5. Adding a website	9
6. Course and task management	10
6.1. Course management	10
6.2. Task management	11
6.3. Invitation of students to the task	14
6.4. Review of archive courses and tasks	16
7. Teacher's workspace	16
7.1. Loading of paper	
7.2. Confirmation and rejection of unregistered students	19
7.3. Review and editing of the information about the document	20
7.4. Search for students' papers	21
7.5. Exporting the original student papers	
7.6. Review of paper assessment attempts	
7.7. Assessment of students' papers	
7.8. Text metrics	
7.8.1. Editing document rubrication codes	
7.8.2. Semantic characteristics	
7.8.3. Named entities	
7.8.4. Phrase segmentation	
8. The report on the text reuse check result	
8.1. Full report	
8.1.1. Viewing the report	
8.1.2. Viewing information about the source	
8.1.3. External link to the source	
8.1.4. Viewing the source report	
8.1.5. Viewing report history	
8.1.6. Editing of the text blocks	
8.1.7. Comments to the report	
8.1.7.1. Adding a comment	
8.1.7.2. Actions with comments	
8.1.7.3. View all comments	
8.1.7.4. Access by a direct link	
8.1.8. Editing of the sources' list	
8.1.8.1. Changing of source type	
8.1.8.2. Source exclusion	
8.1.8.3. Source recovery	
8.1.9. Editing text similar blocks 8.2. Brief report	
	10



8.3. Report with formatting	
8.4. Document Structure	
8.4.1. Adding a section	
8.4.2. Changing the section borders	
8.4.3. Deleting a section	
8.4.4. Saving changes and refreshing check results	
8.5. Suspicious document	55
8.6. Downloading the report	60
8.7. Direct link to report from "See results" page	60
8.8. Certificate	61
9. Contact information	



1. Introduction

This manual is intended to familiarize you with the means of work in the "eAarjav".

The manual contains information about the purpose, capabilities, features of the system, as well as a description of the actions that provide check of text documents for the detecting reuse.

1.1. Terms and definitions

Term	Definition
System "eAarjav" (service)	Online tool for working with text documents with user interface on the web-site.
Text similarity	A fragment of the document text that contains the text or a fragment of the source text and is not formatted in accordance with quotation rules
Text recycling	A fragment of the document text that contains the text or a fragment of the source text, the author or co-author of which is the author of the checked document
Quotes	A fragment of the document text that contains the text or a fragment of the source text and formatted in accordance with the rules of quotation, with full bibliographic information about the source. Also quotes include common expressions, bibliography, fragments of text found in sources from the collections of regulatory documents.
Text similarity percentage	The proportion of all found similar text in relation to the total size of the checked document in characters
Text recycling percentage	The proportion of all found text recyclings in relation to the total size of the checked document in characters
Quotes percentage	The proportion of all found quotes in relation to the total size of the checked document in characters
Originality percentage	The proportion of all document text fragments that were not found in the sources used for check, in relation to the total size of the checked document in characters
Report	 The result of checking the text for reuse: Brief report - is a percentage of originality, list of text sources. Full report - is a percentage of originality, list of text sources, the full text of the document, marked with found similarity text blocks.
Report share	The ratio of the volume of matches that is taken into account within this source to the total volume of the document. That is, if the same text was found in several sources, it is taken into account only in one of them. When summing up the shares in the reports for all sources, a percentage of "Similarity" is obtained.
Text share	The ratio of the volume of matches of the source text to the volume of the document. The shares in the text by sources are not summed up when calculating the total



	percentage of matches.
Report blocks	The number of text similarity blocks from the source, taking into account the intersections of all found sources.
Text blocks	The number of text similarity blocks from a source without regard to other found sources.
Collection (search module)	The software module of the corporate version of the system "eAarjav" , implementing the search for text reuse. The module uses a search index or a special computational algorithm to build reports. The system can have several collection. Search modules may differ in purpose, for example: • Internet search; • Citations; • Wiley Open Library; • GARANT collection; • eLIBRARY collection; • Cross Language Search. Once you have access to several search collections, you can build both individual reports and a single report for all search collections. Some collections perform searches across specialized databases with the casts of the texts of the source documents, but to obtain access to the selected search module doesn't mean getting access to the full texts of the documents it can find this collection. In the received reports, links to the documents will be indicated (their names will also be given), and when viewing the source text, it will contain fragments that coincide with the document being checked.
Browser	Software that allows users to view pages on Internet sites and access files and software associated with those pages. For example, Mozilla Firefox, Google Chrome, etc.

1.2. Purpose and conditions of use

The service is designed to check text documents for plagiarism. As a result of the scan, users receive text reuse reports. The report contains information on the sources and indicators of text similar to source, as well as detailed information with the indication of those fragments of the checked document that have been identified as text similarity. The identification is accompanied by the presentation of the matching text fragment of the borrowing source and/or the reference to the original (URL). As a result of the document check, the user can determine which part of the document is written independently and which part is reused.

- To use the service you need:
- Connect to the Internet;
- Install a browser or use the browser of one of the most common types built into your operating system (MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above).

The results of work with the system "eAarjav" are not the basis for claims of copyright violations, the service is aimed at use only for information purposes. In other words, we do not declare that a particular text is plagiarism, but only inform you about the presence of the same or similar text fragment. It is possible that when working with the service, you will find the text copied from other sources, including the possibility that the downloaded document is the original source. In any case, when working with the service, be careful, try to be objective and do not rush to conclusions. Remember that the service is only a tool of work, and only the user can give a real assessment to the document.



2. Preparation for the start

2.1. Workplace

To prepare the workplace when working with the system "eAarjav" it is enough to open a browser. To work with the service, browsers of the most common types, such as MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above, can be used.

To get started, go to the service website by typing in the address bar of the browser address you received by e-mail from the administrator of the company.

So, we have a ready workplace:

- files downloaded to your computer;
- the browser is open;
- the service's website page is opened in the browser.

2.2. Log in and log out from the system

To access the system, use the login form. To do this, click on the "Log in" link in the upper right corner of the page.

If you do not remember the e-mail that you used for registration in the system, then you can use the "Remember e-mail" function on the login page. You will see a window for entering registration details from the old site: login and password. If you enter your login and password correctly, you will see the e-mail you used for registration on the old site.

@ववनोवर	MF Gwinner Engineering Holding GmbH	H (test)		G→ LOG IN en v
F	For corporate customers	Help	For students	
	-	ilarities, protecting oriរួ nting contract cheating		

Picture 1. Log in to the workspace in the "eAarjav" system.


Fill your credentials into the opened login form. Click on the "Show password" button, if you want to check the correctness of the password. Click on the "Log in".



LOG IN 🕐	SIGN UP	3
EMAIL:		
PASSWORD:		
	© SHOW PAS Restore	sword
	LOG IN	

Picture 2. Login form into "eAarjav" system

After log in the icon "Menu" will be displayed on every page of the website in the upper right corner of the page. When you click on the icon, the navigation through the sections of your account will be available. To the left of the "Menu" icon you will see a brief information about yourself: the role in the system and e-mail. Figure 4 depicts an example for the "Expert" role.



Picture 3. Dropdown menu

To log out from the system, click on the "Menu" icon and then select "Log out".

2.3. Role change

If your system administrator has assigned you more than one role, you will see an arrow next to the role name located at the top of the page. Click the name of the current role to view the full list of roles available to you.



		ERT ^ teacher222@gmail.con	n		en 🗸
		Expert			
		Teacher			
		K	< <	1/1 v) > >I
ି® TO	COLLECTION				

Picture 4. List of user's roles

To change a role, click its name in the drop-down list of roles. After that, the page will change the name of the current role, and you will be redirected to the user account for this role. Please note that only one role is available at a time.

3. Profile

To go to your profile, click on the "Menu" and select the "Profile" tab.

In the profile you can review your credentials. User's data can be changed only by the company administrator.



Picture 5. User's profile

4. Customer Care Service

If you do not find answers to questions about the system, please contact Customer Care Service. To do this, click on the "Menu" in the upper right corner and select the "Customer Care Service" tab. The system opens a window with a form to send the case.





Picture 6. Feedback form

Enter your question in the "Message" field and click on the "Send" button. Our experts will respond to your request to the e-mail, which was used to log in.

5. Adding a website

Our Internet search module performs a check on the already indexed sites of the web. If you find an interesting site or resource that is not included in the Internet search module, you can add it to our search module. This will allow you to build more complete and reliable reports for check through the Internet search module.

To add a website for indexing, click on "Menu" and select "Add website". Copy the link in the URL field and click "Add". You can also leave a comment about the site to which this link leads, for example, that this site is an open e-library or abstracts site.



Add website for indexing		
URL:		
COMMENT:		
	.1	

Picture 7. Website indexing form

If the site you specify is already known to our system, you will receive the message: "The Site has already been processed by our system".

Please note that the new website will be placed in the Internet search Module according to the order of the indexing queue.

6. Course and task management

6.1. Course management

To view a list of courses, click on "Menu" and select the "Course management" section. The list of courses, which were created by you, will be displayed. Each line of the list displays information about the course.

Courses 🛛 💿					
ADD COURSE					I< < 1 /1 ▼ > >I
\Box Course name $\stackrel{\wedge}{\downarrow} \nabla$	Status 🖓	Creation date \diamondsuit \heartsuit	End date 💲 ∇	Number of tasks 🔷	
History of North Pole	\odot	09 Aug 2018 15:14	24 Aug 2018 00:00	0	VIEW TASKS
Computer science	\odot	09 Aug 2018 15:16	31 Aug 2018 00:00	0	VIEW TASKS

Picture 8. List of teacher's courses

To create a new course, click on the "Add course" button in the top menu. Fill in fields of the opened form and click on "Continue". Required fields are "Course name" and "End date". The tag with the course's name will be automatically assigned to the course.

Please note that during the completion date is reached, the course will be automatically sent to the archive. You cannot download and evaluate the papers in the archive course. Leave a



reserve of time in cases	, if there is provided	a delay or retake of	f the test of the course.
--------------------------	------------------------	----------------------	---------------------------

CREATE NEW COURSE	\times
COURSE NAME*	
COURSE DESCRIPTION	
END DATE*	
TAGS	
CANCEL	CONTINUE

Picture 9. Creation of the course

To change the information about the course, mark the course and click on the "Edit" button in the top menu. The window "Edit course" is similar to the window "Create new course".

To delete a course, mark the appropriate course (you can select several courses) and click on the "Delete" button in the top menu.

Please note that you can delete only those courses, which do not contain documents.

To send a course to the archive, mark the appropriate course (you can mark several courses) and click on the "Send to archive" button.

6.2. Task management

To gain the access to the list of course's tasks, click on the "View tasks" button in the line of the created course. The opened page displays a list of the tasks, which were created by you. Each line of the list displays information about the task.



Course tasks ⁽²⁾ "Computer science"							
Machine learning, computer science and natural languages							
✿ ADD TASK IP INVITE STUDENTS IP DELETE + S SEND TO ARCHIVE S.	PUBLISH					1< <	1/1 v >
☐ Task name	Status 🖓	Code	Start date 💲	Due date 🖕	End date 💲	Number of papers $\stackrel{\wedge}{\downarrow}$	
Algorithm	\odot	QFJLL17H	09 Aug 2018 15:23	22 Aug 2018 00:00	24 Aug 2018 00:00	0	EDIT

Picture 10. List of course's tasks

To create a task in the course, click on the "Add task" button in the top menu. Fill in fields of the opened form and click on "Continue". Required fields are "Task name" and "Task end date".

Please note that during the completion date is reached you cannot download documents in the task, all loaded students' papers into the task will be automatically indexed and will be taken into account during the evaluation of the following documents.



HOME / COURSES / TASKS / CREATING TASK	
Creating task	
COURSE NAME	
Course 1	
TASK NAME *	
Task 1	
TASK INFORMATION	
	ii.
TASK DEADLINE DATE 🕖	
27.06.2024	
TASK EXPIRATION DATE * 🕐	
29.06.2024	
WORK TYPE	
Candidate's thesis	
GRADING SYSTEM	
•	
MAXIMUM NUMBER OF ATTEMPTS	
5 ×	
STUDENT ACCESS TO REPORT	
short report	
NOTIFY ME OF NEW DOCUMENTS O do not notify	
 on receiving a work 	
once a day	
O once a week Sunday	
EBSO ⑦	
✓ Place in EBSO	
UGS (ENLARGED GROUPS OF SPECIALTIES)	
	×
CHECKING AGAINST STRUCTURE 📀	
Checking against structure info	
🕑 Main 🕐 🛃 Title 🖉 Content 💟 Bibliography 🛃 Appendix	
TEXT EXTRACTION	
Text extraction info	
Use text recognition (OCR)	
OCR LANGUAGES	
🗹 russian 🗹 english 🗹 kazakh 🗹 kirghiz	
CANCEL	CREATE
UNITUDE	CREATE
HOME UPDATE HISTORY HELP WEBINARS METHODOLOGY CONTACTS	0 🙁
Website for corporate customers Principles of Fair Use	JSC "Anti-Plagiat" 2005-2024 © All rights reserved

Picture 11. Window of creation of the task

During the creation of a task, you can fill in the following fields:

- Information about the task. There you can write any information about the task.
- Tags for the task. The task has the tag, which is automatically formed from the task's name, and the automatically assigned tag of that course, which the task created in.
- Task deadline date. The last day of accepting papers from students. If several attempts are given to submit the work, the first version must be submitted before this date inclusive.
- Task expiration date. The last day of accepting the final versions of the work. After



expiration of the task, all the papers are included in the index, and the task goes to the archive without the possibility of returning and uploading new papers.

- Type of paper. The field allows you to assign one type to all the papers uploaded into the task.
- Scale of assessments. In this field you can select one of the introduced scales for the evaluation of students' papers. If there is no scale of assessments, which you need, contact with the administrator of the system in your university.
- The maximum number of attempts of hanging of the papers.
- Student's access to the report. To allow the student access to the report, select "Brief report" from the drop-down list. By default, the value of this cell is "No", the student will be able to see only the percent of originality. The student does not have the access to the full report.
- Notification about received documents. If you want to receive the notifications about the received documents, select the appropriate type of notifications. Notifications will be sent to the e-mail, which you have specified during the registration. By default, the "Don't notify" option is selected in the system.
- Publication in CDLS. During the marking the sending of this task to the archive, the latest versions of the loaded students' papers will be automatically published in the corporate digital library system (CDLS).
- Speciality. In this field you need to select the code of specialty, which will be assigned to each document, downloaded to this task.
- Extracting the text. In this field, you can select how the document is loaded using OCR. After flagging all papers added to the task will be uploaded using the optical character recognition (OCR) method. Please note that if your company has forced verification using OCR, then this field will be absent.
- Languages of the document text. If you choose to extract text using OCR, you must specify the language of the document being checked.

To complete the creation of the task, click on "Create". A new task will be displayed in the list of tasks of the course.

To edit a task, click on the "Edit" button in the line with the task. The "Edit task" window is similar to the "Create task" window.

To delete a task, mark the appropriate task (you can mark several courses) and select the "Delete" button in the top menu.

Please note that you can delete only those tasks, which do not contain documents.

6.3. Invitation of students to the task

You need to send the invitation for the access to the task, so students will be able to download the documents to the task.

To send an invitation to students, mark the task, which you want to invite students to, and click on the "Invite students" button.



Academic writing		
TUDENT E-MAILS LIST		
student1@gmail.com	manual input	
ecognized e-mails count: 2		
Recognized e-mails count: 2 NVITE STUDENTS FROM TASK Creative thinking	copy list	
NVITE STUDENTS FROM TASK	copy list	

Picture 12. Invitation of students to the implementation of the task

In the text field of the opened window enter the e-mail address of the students, who you want to share the access to the task with. An invitation letter, containing the task's code and information about the task, will be sent to the specified e-mail. You can enter several e-mails manually, using a line shift as a separator, or you can copy a list with e-mails from any text file and paste it into this field. If during the copy or the enter the system detects duplicate of e-mail, they will be automatically deleted. The total number of recognized e-mails is displayed below the list of e-mails.

If you have already invited students to the implementation of other tasks and want them to be included in the list, then in the "Invite students from task" field select the task, which you have already invited students to.

To send an invitation, click on the "Invite" button.

You can invite students to the implementation of the task by giving them a link for login (url address for the access to the "eAarjav.EDU") and the code of the task, which they can download the papers in the created by you task by. The task's code is displayed in the line with each task.



Course tasks "Computer Machine learning, computer science and natural langu							
ADD TASK INVITE STUDENTS	ND TO ARCHIVE 😪 PUBLISH					1< <	1/1 • > >
□ Task name 🗘 🏹	Status 🖓	Code	Start date 🛟	Due date 🔷	End date 🖕	Number of papers 🖕	
Algorithm	\odot	QFJLL17H	09 Aug 2018 15:23	22 Aug 2018 00:00	24 Aug 2018 00:00	0	EDIT
Computer language	\odot	E22AS1GD	09 Aug 2018 15:23	22 Aug 2018 00:00	28 Aug 2018 00:00	0	EDIT

Picture 13. Code of the task in the line with the task

6.4. Review of archive courses and tasks


To send a course or task to the archive, select the completed courses or tasks and select the "Send to archive" button in the top menu. Marked courses and/or tasks will be marked as archival.

					K	< 1/1 × > >I
□ Course name [^] _v _v	Status ∇	Creation date $ \diamondsuit \nabla$	End date $\uparrow \nabla$	Number of tasks $\stackrel{\wedge}{\downarrow}$		
Red Cross	\odot	04 Oct 2021 08:19	30 Oct 2021 23:59	0	EDIT	VIEW TASKS
Humanity history	(\mathbf{x})	01 Sep 2021 14:22	30 Sep 2021 23:59	1	EDIT	VIEW TASKS

Picture 14. "Send to archive" button

To view the archive courses and tasks, go to the "Teacher's workspace" section and click on the "Archive" tab in the left field.

Workspace 📀	Model checking is an algorithmic technique to verify proves that the system description satisfies the spec undecidable problem in general.			
	⊗ DECLINE ⊘ VALIDATE ♀ HISTORY OF ATTEMPTS	CHANGE NAME AND TYPE		
COURSES	\Box Full name $\sqrt[a]{}$ ∇	Upload date 🔷	Attempt 🖕	$Grade \ ^\diamond_\vee \ \nabla$
ACTIVE ARCHIVE	Matthew Blatt	⊘ ▲ ^{09 Aug 2018} 12:01	1	2
 Computer science Algorithm 	Cooper Nicolas	⊘ ▲ 05 Jun 2018 10:43	1	3
Computer language South pole				
History of North Pole				
History of science				
 Psychology and physiology 				
Algorithmic models				
Positive thinking as an i				



The page of review of archive courses and tasks looks identical and has almost the same features as the page of review of active courses. Also there is available the review of loaded students' papers and a reports, made by them (with all the features of the report).

Please note that there is no possibility to download students' papers to the archive task. Also you cannot evaluate or send for revision the student's paper.

7. Teacher's workspace



In teacher's workspace you can see all the courses and tasks created by you, as well as the papers of your students uploaded to these tasks and reports on them.

Please note that only student papers can be uploaded to the teacher's workplace. To upload your own documents, you need to create an additional account with the "Expert" role. For an additional account, contact the system administrator at your university.

To access to the teacher's workspace, click on the "Menu" and select the "Teacher's workspace" tab.

You can see the "Courses" panel on the left of the workspace page, which displays the courses and tasks created by you. After selecting the respective task, you will see a list of uploaded student's papers. Each row in the list displays information about the document, the result of the check, and a link to the report.

Workspace 📀	The initial description of psycology O decline Validate Initial description Initial description Initial description Initial descripting Initial					< 1 /1 ▼ > >I	
UPLOAD PAPER	\Box Full name \diamondsuit ∇		Upload date 🗘	Attempt 🗘	Grade \uparrow \heartsuit	Originality	
COURSES	Matthew Blatt	\odot	18 Jun 2020 16:58	1	4	71.1%	SEE RESULTS
ACTIVE ARCHIVE Psychology and physiology Psycological trainings as a							
Studium I							
Studium II							

Picture 16. Teacher's workspace

The status of the paper depends on the role of the person, who has uploaded the document. If the loading was made by a teacher or a registered confirmed student, the document will be automatically sent for the check, and the report will be available at the end of the check.


Please note that if the document was uploaded by an unregistered student or is uploaded by a student for the first time, the paper would be marked with a special "New" sign and would be sent for verification only after confirmation of the student. You can read more about confirmation of the student in the manual in the section <u>Confirmation and rejection of unregistered students</u>.

pace 📀	The second stage of the general psycology						
	\otimes decline \otimes validate \oplus history of attempts \square change	NAME AND TYPE					
APER	□ Full name 🖕 🏹	Upload date 🗘 Attempt					
	Cooper Nicolas	26 Sep 2018 17:03	1				



The originality assessment in the row with paper is intended for the initial superficial acquaintance with the results of the check. To get a detailed evaluation of the results of the check, go to the review of the check report by clicking on the "Report" button.





Picture 18. Stages of checking of the paper by the teacher

7.1. Loading of paper

Only student's papers can be uploaded to the teacher's workspace, the teacher cannot upload his/her own documents. To upload a document for the check on behalf of the student, the student must be registered in the system and invited to the task. Select the appropriate task in the "Courses" panel, click on the "Upload paper" button and select files on your computer or drag the appropriate documents in the "Upload paper" field.

Workspace O	The initial description of psycology	TEMPTS 🗹 CHANGE NAME AM	ID TYPE				I< < 1 /1 v → >I
D UPLOAD PAPER	\Box Full name \diamondsuit ∇		Upload date 🗘	Attempt 🖕	Grade \diamondsuit \heartsuit	Originality	
COURSES	Matthew Blatt	\odot	18 Jun 2020 16:58	1	4	71.1%	SEE RESULTS
ACTIVE ARCHIVE Psychology and physiology Psycological trainings as a Studium I Studium II							

Picture 19. Loading of student's paper into the task via "Upload paper" button

Please note that the service supports the most common text formats of files: pdf (with a text layer), txt, html, htm, docx, rtf, odt, pptx. The size of the uploaded file must not exceed 100 Mb. The doc format is not supported for students' papers uploading. This format is significantly obsolete and there may be problems during text extracting. Please convert the document to one of available formats: docx or pdf.

Besides the loading of single files, the loading of the archive folder is available. An archive folder is a file in the format RAR, ZIP or 7z. In this case, all documents from the archive folder are processed separately.

After selecting the files, a window for setting the parameters of the student's paper for loading will open. Select from the dropdown list the student on whose behalf you want to upload the document. There are only the registered, invited to the task students whose papers have never been loaded in the task or had been sent back for revision and not been handed again and which still have an attempt of completing of the task.



Picture 20. Window with parameters of student's paper loading

Then click on the "Continue" button, the document will be added to the workspace and sent for check in order to submit the paper for assessment. In the task, where the paper was uploaded, you will see a new record with the full name of the student on whose behalf the loading was done. The row with the document will display the time of document loading. Also, this document will be displayed in the student's workspace in the appropriate task. After completion of the check, the results of the check will appear in the row.

he initial description of psycology						
S DECLINE OVALIDATE CHISTORY OF ATTEM	PTS 🗹 CHANGE NAME AND	TYPE				I< < 1 /1 ♥ >
\Box Full name $\stackrel{\wedge}{\downarrow} \nabla$		Upload date 🖕	Attempt 🖕	Grade $\[\] \nabla$		
Cooper Nicolas		26 Sep 2018 17:19	1		Uploading	
Matthew Blatt	\odot	18 Jun 2020 16:58	1	4	71.1%	SEE RESULTS

Picture 21. Student's paper in the process of checking in the teacher's workspace

7.2. Confirmation and rejection of unregistered students

The system provides the loading of paper for check by students who are not registered in the system. In this case, the student's paper will be displayed in the teacher's workspace with a special "New" sign, and will be sent for the check after the teacher confirms the student's identity.

pace	The second stage of the general psycology					
	\otimes decline \odot validate \bigcirc history of attempts \square cha	NGE NAME AND TYPE				
APER	\Box Full name $\stackrel{\wedge}{\downarrow} \nabla$	Upload date 🗘	Attempt 🗘			
	Cooper Nicolas	26 Sep 2018 17:03	1			

Picture 22. The paper of unconfirmed student in the workspace

To confirm or reject an unregistered student, tick any paper that the student has uploaded. In the top menu buttons " Validate" and "Decline" will become active, click on the appropriate button. You can confirm or reject several students at the same time by ticking several student's papers.

Workspace 📀	The second stage of the general psycology			
workspace	⊗ DECLINE ⊘ VALIDATE () HISTORY OF ATTEMPTS	CHANGE NAME AND TYPE		
	✓ Full name [↑] [¬] [¬]	Upload date 🔷		
COURSES	Cooper Nicolas	26 Sep 2018 17:03		

Picture 23. Confirmation or rejection of unregistered student in the teacher's workspace

The same operation can be done while viewing the text of the student's paper by clicking on the "Validate" or "Decline" button in the top menu.





Picture 24. Confirmation of unregistered student while viewing the text of the paper

The student's paper will be sent for the check after confirmation of the student. After the check is completed, you will see the results of the check, and you can go to the report and assess the paper.

Please note that after confirmation of the student all papers of this student, uploaded in any task in the workspace of any teacher of the university, will be automatically sent for the check. Thereby, the student is confirmed only once, confirmation from other teachers is not required.

In case of rejection of the student all student's papers, uploaded to the workspace to the respective teacher, will be removed. The student's papers, uploaded to workspaces of other teachers are not removed, and the other teacher can confirm the student.

7.3. Review and editing of the information about the document


The upload of the documents is accompanied by a brief description of document parameters attributes. To view the information about the document, click on the name of the student who owns the document. "Reading version" page will open, which displays the text of the document in paginated mode and attributes of the document.

Document No.: 268	Version	Version for reading					
Uploading start: 31.08.2021 18:02:17 Uploading duration: 00:00:02 Initial file name:	Amargasa	Amargasaurus					
Amargasaurus.docx Text size: 12 KB	TEXT VIEW	ORIGINAL VIEW	ANNOTATION	I< < 1/4 × > >I			
Number of characters: 11945 Number of words: 1888 Number of sentences: 80		0		the Early Cretaceous epoch (late 132.9 million years ago) of			
Document:	northern Pata	agonia, Argentina. It	was first described	l in 2019 based on a single specimen found in			
Amargasaurus Document type: Not specified	2010 that incl	udes a largely comp	lete skull and part	s of the neck. The only species is Bajadasaurus			
	pronuspinax.	The genus is classif	ied as a member o	f the Dicraeosauridae, a group of relatively			
	small and sho	ort-necked sauropoo	ls.				
	Bajadasaurus	sported bifurcated	(two-pronged), ext	remely elongated neural spines extending from			
	the neck. Sim	the neck. Similarly elongated spines are known from the closely related and more completely					
	known Amarg	own Amargasaurus. Several possible functions have been proposed for these spines					
	in Amargasau	rus; the 2019 descr	iption of Bajadasau	urus suggested that they could have served as			
	passive defen	se against predator	s in both genera. T	he skull was slender and equipped with around			

Picture 25. Review of the information about the document

To go through the pages of the text, use the paging panel, located above and below of the text box. You can display all pages of the document at the same time, by clicking on the "Show all pages" button under the text field.

Also you can view the attributes of the document and change them, if it is necessary, by clicking on the "Change name and type" button, on this page.





DOCUMENT ATTRIBUTES 💿	\times
DOCUMENT TYPE	
Article	~
FULL FILE NAME	
General psychological problems of teenagers by Matthew	Blatt
CANCEL	SAVE

Picture 26. Window for editing of the attributes

The same operation can be done by ticking the required document in the workspace and clicking on the "Change name and type" button in the top menu. In the opened window you can change the name of the document and assign a type of the document.

7.4. Search for students' papers

To search for student's paper, enter the student's full or partial name in the search bar, and then click on the "Apply" button or press Enter.

🔲 Full name 🔇	· 7	U	oload date 🗘	Attempt 🗘	$Grade \ \diamondsuit \ \bigtriangledown$
Cooper N	Blatt	APPLY	8	1	

Picture 27. Search bar for student papers in the task by student's names

By default, the list of student papers is sorted by upload date in descending order. You can change the sorting order in the "header" of the table. The direction of the arrow will change, indicating the sorting method, and the column by which the sorting is currently performed is highlighted in bold.

□ Full Name 🖕 🏹		Upload date 🖕	Attempt 🖕	Grade 🛟 🏹	Originality	
Jane Doe	\oslash	07 Jul 2022 13:04	1	Sent for rework	0,01%	SEE RESULTS

Picture 28. "Check quotas" tab

7.5. Exporting the original student papers

The system implements the ability to export the original student paper. In the teacher's workplace, flag the required student paper and click on "Download paper". The download will start automatically, or a download and save file dialog box will open, depending on your browser settings.

Please note that:

• the original of only the student's last attempt is available for downloading;



download is only available for one paper at a time (bulk download is not supported).

Cabinet 💿 🖸	⊗ REJECT ⊘ ACCEPT (ATTEMPTS HIS	TORI 👤 DOWNLOAD WO	DRK			I< < 1 /1 ▼ > >
	🗹 🛛 Full Name 🔷 🏹		Upload date 🗘	Attempt 🖕 Grade 🖕 🏹	Originality	
	Meushi Alex	⊘ [cck]	01 Sep 2021 18:14	1	84,03%	SEE RESULTS
COURSES						

Picture 29. Exporting the original student paper

7.6. Review of paper assessment attempts

To view the attempts of paper assessment, select the task in the "Courses" panel, find the appropriate student in the task and tick his paper, then the "History of attempts" button will become active. Click on the "History of attempts" button.

Works	pace	The initial description of psycology	EMPTS 🗹 CHANGE NAME AND TYPE			< 1 /1 ∨ > 3
D UPLOAD	PAPER	□ Full name 🔷 🏹	Upload date 🖕	Attempt 🗘 🛛 Grade 🖕 🏹	Originality	
COURSES		Cooper Nicolas	26 Sep 2018 17:19	1	71.1%	SEE RESULTS
ACTIVE	ARCHIVE	Matthew Blatt	⊘ ▲ ^{26 Sep 2018}	1	98,96%	SEE RESULTS
Psychology ar	nd physiology					
✓ Psycological t	rainings as a					
Studium I						
Studium II						

Picture 30. Review of the history of paper assessment attempts

The opened window displays the information about previous attempts of assessment of the paper by this student. Attempts are sorted in descending order by the date of loading of the document: the last assessment attempt will be displayed the first.

The same operation can be done by clicking on the number of assessment attempts of appropriate paper in the list of uploaded papers.

7.7. Assessment of students' papers

The teacher can evaluate the student's paper in accordance with the scale, set in the parameters of the task, or send it for revision, if it does not meet the criteria of paper's execution.

To evaluate the paper or send it for revision, select the loaded paper of the appropriate student, go to the full report on his paper and click on the "Paper assessment" or "Sent for revision" button in the upper panel of the full report.




		PAPER ASSESSMEN	SEND FOR REVISION
ORIGINALITY 100%	SIMILARITY 0%	QUOTES	TEXT RECYCLING
SOURC	ES (0)	EXCLU	DED SOURCES (0)
			RECALCULATE
	No similar	ities found	

Picture 31. "Paper assessment" and "Send for revision" buttons in the full report panel

You can also evaluate paper or send for revision through the appropriate items in the menu of the full report.





Picture 32. "Paper assessment" and "Send for revision" buttons in the full report menu

To evaluate the work, select an assessment from the drop-down list and click "Rate", you can leave public and hidden comments on the assessment.



Executed by: Test Student File name: Journal of Economic Surveys -	2022 - Wiley
Task: Task 1	
COMMENT	REMAINING CHARACTERS: 200
Here you can leave your comment to the g	grade
	REMAINING CHARACTERS: 200
Here you can substantiate your grade for	yourself or your managers. Comment will not be
THELE YOU LATESUDSLATILIALE YOUR STADE TO	
	yourself of your managers. Comment will not be
visible to the student	yoursen of your managers. comment will not be
	yoursen of your managers. Comment will not be
	yoursen of your managers. Comment win not be
	yoursen of your managers. Comment win not be
	yoursen of your managers. Comment win not be
visible to the student GRADE	yoursen of your managers. Comment win not be
visible to the student	voursen of your managers. Comment win not be
visible to the student GRADE Select a grade ATTENTION! A student has a limited numb	ver of attempts to complete the task. Uploading a
visible to the student GRADE Select a grade ATTENTION! A student has a limited numb corrected paper is considered a new atten	per of attempts to complete the task. Uploading a npt. The grade and comment will be displayed in
visible to the student GRADE Select a grade ATTENTION! A student has a limited numb corrected paper is considered a new atten the student's workspace. You can change	ver of attempts to complete the task. Uploading a
visible to the student GRADE Select a grade ATTENTION! A student has a limited numb corrected paper is considered a new atten	per of attempts to complete the task. Uploading a npt. The grade and comment will be displayed in
visible to the student GRADE Select a grade ATTENTION! A student has a limited numb corrected paper is considered a new atten the student's workspace. You can change	per of attempts to complete the task. Uploading a npt. The grade and comment will be displayed in

Picture 33. Form of paper assessment

When sending a paper for revision, you can leave a comment for the student.



Executed by: Test Student File name: Journal of Economic Surve Task: Task 1	ys - 2022 - Wiley
COMMENT	REMAINING CHARACTERS: 2000
Here you can leave your or remarks fo	or further improvements
Remaining attempts to submit paper : 0 ATTENTION! A student has a limited n sent for revision, the current attempt	umber of attempts to complete the task. If a paper is

Picture 34. Form for sending the paper for revision

In the future, if necessary, you can change the assessment of the student's paper that was put down earlier. To do this, you will need to perform the same actions as during the initial assessment. You can only change the grade until the task is completed. It is possible to cancel the sending of the paper for revision only until the next version of the paper is uploaded.

When you return to the list of papers in the task for the evaluated paper, the grade, which you has assigned, will be displayed in the "Grade" column.

□ Full name 🖕 🕅	Upload date 🗘	Attempt 🗘	Grade 💲 🖓			
Matthew Blatt	O9 Aug 2018 12:01	1	5	reuse citations originality	15,25% — 0% 84,75%	REPORT

Picture 35. Student's paper with the assessment

The student will see the assessment and your comment for the student in his/her workspace.

7.8. Text metrics

On the check results page, on the "Text Metrics" tab, you can see various semantic characteristics of the document.

Please, pay attention that Metrics are calculated only for new documents. For documents uploaded before enabling this functionality, the calculation is not performed.

The block of text metrics is divided into the following components:

- Document rubrication
- Semantic characteristics



Named entities

Phrase segmentation

Document properties	DOCUMENT RUBRICATION	?
Document structure	(j) System can determine the rubric codes for a document automatically.	
/ Text metrics NEW	GRNTI document rubricator 20.53 CODE SELECTED	۲
	OECD document rubricator	$\overline{\mathbf{v}}$
Settings check	UDC document rubricator 004 CODE SELECTED	۷
Document statistics	VAK document rubricator	۲
	SEMANTIC CHARACTERISTICS	
	Share of scientific terminology: 100	
	General vocabulary share: 0	
	Presence of Annotation section: no	
	Presence of bibliography: no	
	Presence of conclusions: no	
	Introduction included: yes	
	Presence of research method description: yes	
	Presence of research result description: yes	
	Text coherence assessment: 5.06329113924051	
	NAMED ENTITIES	
	Click the button on the right to load the list of named entities.	SEE LIST
	PHRASE SEGMENTATION	
	Phrase segmentation has been performed for this document.	DOWNLOAD FILE

Picture 36. Text metrics view

7.8.1. Editing document rubrication codes

After uploading the document to the system, you will be able to edit the codes of the categories of universal classifiers that allows you to attribute the work to a particular field of knowledge.

Automatically defined codes for each category are grouped into collapsed lists.. To expand and view the list, click on the button on the right side of the field with the name of the category.

OECD document rubricator



Picture 37. Disclosure of the collapsed list of rubricator codes

To confirm one of the codes automatically determined by the system, click the "Confirm" button to the right of the desired name.



ECD document rubricator	(-
DNFIRM RUBRICATOR CODE:	
2.02 Electrical engineering, electronic engineering	Confirm
1.02 Computer and information sciences	Confirm
5.03 Educational sciences	Confirm
1.01 Mathematics	Confirm
2.05 Materials engineering	Confirm

Picture 38. Confirmation of the rubricator code

If no code has been determined automatically or there is no necessary code among the proposed codes, add it manually using the "Select from the full list" field at the bottom of the rubricator list. To do this, start by entering the name of the category.

Ph	Add
1.03 Physical sciences and astronomy	
5.07 Social and economic geogra <u>ph</u> y	

Picture 39. Manual select of the code from the list

To confirm the selection, click the "Add" button to the right of the selected code.



Picture 40. Adding a manually selected code

The selected code is displayed next to the name of the category. To reset and change the



selected code, click the "Reset" button to the right of the name of the previously selected category.

GRNTI document rubricator 20.53 CODE SELECTED	\checkmark
OECD document rubricator 1.03 CODE SELECTED	٢
RUBRICATOR CODE:	
1.03 Physical sciences and astronomy	Reset
UDC document rubricator 004 CODE SELECTED	\checkmark

Picture 41. Reset the selected code

When the code is reset, you will be able to select the category again from the suggested list or specify it manually.

7.8.2. Semantic characteristics

The system calculates and displays of various semantic characteristics for each uploaded document. This functionality allows you to evaluate the scientific nature of the text, determine the presence of special sections in the document, and calculate some indicators. The calculation takes place automatically when the document is loaded.

List of calculated semantic characteristics:

- The share of scientific vocabulary. The indicator is from 0% to 100%, where 100% corresponds to a completely scientific text, and 0% corresponds to a completely unscientific text. The indicator is the ratio of words and phrases, included in «the dictionary of scientific terms and constructions»to the total number of words and phrases in the text being checked.
- The share of the general vocabulary. The indicator is from 0% to 100%. The formula used to calculate is (100% [Share of scientific vocabulary]).
- The presence of an annotation.
- The presence of conclusions.
- The presence of an introduction.
- The presence of a research method description.
- The presence of a study results description.
- Assessment of the coherence of the text. The indicator is from 0% to 100%, where 100% corresponds to perfectly connected text, and 0% corresponds to completely disconnected text. The coherence of the text is characterized by the syntactic and semantic coherence of its sentences. When determining the coherence of the text, an error may occur due to the document being checked using OCR and the presence of images in the document being checked.

SEMANTIC CHARACTERISTICS

Share of scientific terminology: 100 General vocabulary share: 0

Presence of Annotation section: no

Presence of bibliography: no

Presence of conclusions: no

Introduction included: yes

Presence of research method description: yes

Presence of research result description: yes

Text coherence assessment: 5.06329113924051

Picture 42. List of semantic characteristics

7.8.3. Named entities

To get a list of named entities, click the "View list" button in the "Named Entities" block.

A modal window opens, which displays a list of named entities as well as information about the number of named entities found in the document. Each named entity is located in a separate block.

For each named entity, entities are compared in various languages. To open a list with mapped entities, click on the arrow.

IAMED ENTITIES	163):
Simon Egenfeldt-Nielsen	
Jonas Heide Smith	
K. Durkin	v
S. Jones	v

Picture 43. Modal window with a list of named entities

If an error occurs when forming a list with named entities, it will be displayed in the modal window.

7.8.4. Phrase segmentation

To view the list of segments and semantic units of the downloaded document, click on the



"Download file" button. An XML file will be produced. Depending on your browser settings, the download will begin automatically, or a dialog box will open to allow you to download and save the file.

In the uploaded XML file, you will see your uploaded document presented as a list of segments. After the list of segments, a list of semantic units will be presented.

8. The report on the text reuse check result

8.1. Full report

After the document is loaded and checked, you may navigate to the report. To go to the full report view page, click the "See results" button located on the line with the checked document. After this click "Full report" button.

HOME / WORKSPACE / CHECK RESULTS						
Originality 18,08%	Similarity	5,35%	Citations	0,62%	Text recycling	75,95%
FULL REPORT BRIEF REPORT RE	PORT HISTORY			PRINT ¥	± export ∨	GÐ CREATE LINK 🗸
Document properties	Initial file name	Carrier Interacti	ion in Quantum Nanosys	tems.pdf		
Document structure	Document authors	not specified		not specified		
Search by images NEW	Document name Document type	Carrier Interacti	ion in Quantum Nanosys	tems		
A Text metrics NEW	EDIT PROPERTIES					


Picture 44. Full report selection

The full report includes:

- evaluation of originality / similarity / quotes / text recycling;
- evaluation of suspiciousness of a document with details on the "Suspicious document" page
- list of similarity sources with the ability to edit and go to the source report;
- continuous or page-by display of the full text of the document marked with the found similar blocks;
- page-by-page display of the full text of the document in the original document;
- the date of document checking;
- document's name;
- report correction.

The figure below shows a General view of the full report.





Picture 45. Full report

In the top panel of the page you will see the icon buttons, allowing you to proceed to the next action:

- parameters for checking;
- export of the report;
- downloading the Certificate;
- save the edited report;
- report printing layout;
- view reports history;
- view text metrics;
- get a direct link to the report;
- link to the brief report;
- link to user manual.

8.1.1. Viewing the report

The report page consists of the text to be checked, in which the similar blocks are highlighted, the list of sources, the aggregated results of the check and navigation through the blocks of similarity (search by blocks).

To navigate through the text pages, use the paging panel located above and below the text box. To display all pages of the document at once, click on "Show all pages" at the bottom of the document page.

To return to the page-by-page display of the report text, click the "Show by page" button on the paging panel.



ALL BLOCKS V		(0)	< 1/14 × > >I
	SOURCES:	57 FROM 82	RECALCULATE
	96 🗘	Search module ∇	Sources 🖓
	[02] 0,03%	PlatinER: A Highly Po Wiley OL	otent Anti 😧 🔺
			Û


Picture 46. Page-by-page display of the report text

To see which text fragments were similar and to which specific source, all text similar blocks in the system are highlighted, and at the end of each block there is a label with the respective number of the source.

When viewing similar blocks in a report, you can use block navigation (block search). With its help you can go to the next or previous block by pressing the "Previous" or "Next". You can also choose which type of text blocks to use.

8.1.2. Viewing information about the source

To view information about the source, find the source in the list, expand the respective source and click on the icon.



Picture 47. Source information in the source list

The source information window displays various data on the source: a link to the source, the date of its publication, the author, etc. The list of fields may be different depending on the search module and the source itself.

If the source is placed in index of approved by administrator of your company, then appropriate flag about the source appears. Text reuses from such source included in citing percentage and highlighted by green color.

Parameters such as text share, report blocks, text blocks are customizable. To do this, click on the "Menu", select the "Profile" section and go to the "Report settings" tab. You can choose which of the parameters will not be displayed in the report by unchecking one of them.



/ly profile		
PROFILE SETTINGS	REPORT SETTINGS	
DISPLAY IN REPORT		
 Report blocks parameter Text blocks parameter 		
 Text blocks parameter Text share parameter 		

Picture 48. Report settings

When analyzing sources, you can use both report share and text share. For a clear understanding of the difference between them, let's give an example: The report indicates two sources "Source A" and "Source B". According to the sources, the same paragraph of the text was found, which makes up 10% of the total volume of the document being checked. In this case, we will get the following data:

- Source A: text share is 10%, report share is 10%;
- Source B: text share is 10%, report share is 0% (because this text has already been taken into account from source A.)

Another way to view information about a source is to click on the source number in the full report text. A window will appear that contains basic information about the source.


Symbolic Invariant Verification for Sys	tems
with Dynamic Structural Adaptation	
	Source: Evolution & Aging
ABSTRACT	Link: http://d3s.mff.cuni.cz/research Date: 09 Apr 2016
The next generation of networked	Search module: Internet

Picture 49. Source information in the full report text

8.1.3. External link to the source

For most sources in the list there is an external link to the location of the document or source text on the Internet. To go to the web page, click the icon next to the source name.





Picture 50. External link in the list of sources

After clicking on the link, the web page on which the text of the block was found will be opened. A situation may arise when the source is unavailable after clicking on the link. Perhaps the site administrators deleted the text, or the page "moved." But in any case, this text was available at the specified address when the site was added to the index of the search module of the system.

The fact that one or more of the report's links to the open sources on the Internet at the time of viewing the report do not work is not a reason to remove these links from the system's index. Texts at the links' addresses were indexed, before being deleted / moved, they were available to third parties, could be read, copied or otherwise used. Also, they could be stored in the cache of search engines and web archives, where they could still be found.

8.1.4. Viewing the source report

To view the source report, click the link in the source name in the list of sources. A new tab in the browser will open with the text of the source with which there was a duplication. Instead of text that doesn't overlap with the source, you'll see the number of characters that were skipped.

If you want to view the full source text, open the source link by clicking on the "Go to the source website" button.



SOURCES ②

[01]	10369	882	14-MI	I.pat

- [02] 1036988214-MIT.pdf[03] not specified
- [04] Downloadable Full Text
- [05] Downloadable Full Text
- [06] Downloadable Full Text
- [07] Downloadable Full Text
- [08] Impact of Irrigation Meth...
- [09] Impact of Sea Surface Te...
- [10] Impact of Sea Surface Te...
- [11] Improving the Simulatio...
- in proving the sindlatio...
- [12] A Modeling Study of Irrig...
- [13] A Modeling Study of Irrig...
- [14] https://conservancy.umn...

Report on the source[01]

■ DISPLAY FULL TEXT & GO TO THE SOURCE WEBSITE ③ INFORMATION

1036988214-MIT.pdf


Skipped 20911 characters / 2439 words
July-August average temperature change ('C) from 1920-1949 to 1970-1999
in
Skipped 13945 characters / 1558 words
how crops will
Skipped 6 characters / 1 word
in different climate
conditions, but also how crops and agricultural
Skipped 2801 character / 433 words

Picture 51. Report on the source

Click another source in the Sources pane on the left to view the report for that source immediately.

You can choose to view the report by source – page or solid text. By default, the source report is displayed page by page. To switch the view mode, click on "Show full text". When you switch to solid text view, the button changes to Show text page by page. Click it to go to page view.

Another way to view the source report is to go to the source report from the block in the text. Click on the source number at the end of the block, then click on the source name.



Picture 52. Going to the source report from the text block

The page "Report on the source" will be opened with the selected block.

8.1.5. Viewing report history

When you recheck the document or edit the report, all previous versions of the reports are



saved in the system. To view the report history, click the "More" button and select the "Report history" item in the top menu of the full report.

\otimes	Close	342 I< <	1/3	×	>
		(1) All blocks	~	<	
00	Check results				
9	Save	risto Redentor, Porto Alegre, RS, Brazil.			
άΞ	Grade	atology, ULBRA, Porto Alegre, RS, Brazil.			
3	Export	Hospital, Porto Alegre, RS, Brazil.			
	Printable version	1103 – 90520-270 – Porto Alegre – RS – Brazil. E-mail: ericson.neurocirurgia@gmail.com			
Э	Report history	nentum flavum hematoma in the lumbar region, discuss its physiopathology and treatment and			
	Direct link to the report	presented with neurogenic claudication due to degenerative lumbar spondylolisthesis that evolved			
	Bibliography	ina syndrome. The magnetic resonance imagining (MRI) showed signs of degeneration of the from L2 to S1, anterolisthesis L4 L5 and an expansive lesion hyperintense on T1-weighted and			
=	Brief report	sidered compatible with hematoma in the topography of the yellow ligament in L1-L2. The patient			
		ation. Her evolution was good in the postoperative period and at 18 months of follow-up hse walked			

Picture 53. Viewing report history

A separate window will open, where you will see a summary of all the reports made for this document. Reports in history are sorted in descending order by the build date.

To go to the detailed view or correction of one of the reports, click the "Open" button. The report opens on a new page.

REPORT HISTORY Symbolic Invariant Veri		\times
Report №1 снескер: 13.0	07.2018 12:23:47 DURATION: 00:00:	:01
 REUSE 15,14% CITATIONS 0% C REVISIONS Citations finder Check module "Internet" 	ORIGINALITY 84,86%	OPEN

Picture 54. Report history

You can also view all the corrections to the report, go to a specific correction and change it. The correction is created automatically when you edit the report.



SIMILARITY 5,35% TEXT RECYCLING 75,95% CITATION	NS 0,62% OR	IGINALITY 18	,08%		OPE
CORRECTION: 26.12.2022 12:43:26					
COMMENT					
One source deleted					
REVISIONS					
Legal information system «Adilet» search module	0%	0%	0%	100%	
Bibliography separation module	0%	0%	0,05%	99,95%	
ELS joint collection	0%	0%	0%	100%	
Search module INTERNET PLUS	5,07%	0%	0%	94,93%	
RSL collection	0%	75,95%	0%	24,05%	
Citations	0%	0%	0,58%	99,42%	

Picture 55. Information on the edited report in the reports history

8.1.6. Editing of the text blocks

You may adjust the check result not only by excluding or changing the source's type, but also by deactivating text blocks. This feature allows to not use the selected blocks when calculating the percentages.

To disable the necessary text block in the report, left-click on it. The "Deactivate" button will appear. After this the block will change color to gray. The system will automatically recalculate the percentages, but without accounting disabled text block.



HOME / WORKSP	ACE / CHECK RESULTS	FULL REPORT						
			Troitskaya				IK K 1 /14	I v > >I
Text view	Original view				(0)	All blocks	~	< >
40 ACTA NAT REVIEWS	FURAE VOL <mark>. 1</mark> 4 No 1	1 (52) 2022						
ABSTRACT Apo	optosis plays a crucia	l role in chemotherapy-induc	ed cell death. The co	onventional theory	hold-			
		nunologically silent has recen						
0		posed. This review describes						
		effectiveness of anticancer th	100		9			
		of the "vaccination effect" of o		0 0		sable		
	0	ition of specific antitumor res			0			
		ses the whole set of molecul	-					
0 11		ulin and the heat shock pro						
		nuclear protein HMGB1 and						
of various nat	ure (chemotherapy	drugs, cytotoxic proteins, and	d oncolytic viruses), a	as well as physical r	meth-			
	fied in the current re	22						
KEYWORDS Im	imunogenic cell deat	h (ICD), HMGB1, calreticuli	in, antitumor vaccina	ation, chemotherap	oy, apop-			
tosis-inducing	proteins, oncolytic vi	iruses, cold plasma jet.						
ABBREVIATION	NS APCs – antigen-pre	esenting cells; ATP – adenosir	ne triphosphate; CAF	P – cold atmospheri	ic			
plasma; CRT	- calreticulin; CTLs -	cytotoxic T lymphocytes; DAN	/IPs – danger-associa	ated molecular patt	terns;			
ER – endoplasi	mic reticulum; HMG -	- high-mobility group; HSP - I	heat shock protein; I	ICD – immunogenic	:			
cell death ;IL	- interleukin ; LPC -	- lysophosphatidylcholine; M	HC – major histocom	npatibility complex;	PS -			
phosphatidyls	erine; ROS – reactive	oxygen species; TLR – Toll-li	ike receptor; TNF – t	umor necrosis facto	or;			
VV – vaccinia v	irus.							

Picture 56. Disabling the block in the report

To take the disabled text block into account again, find the disabled text block and click on it. The "Enable" button will appear. After clicking on it, the result will be recalculated again.

You may find out if there are the disabled text blocks and enable all the text blocks at once in the check results panel. To enable all text blocks, click on the "Enable All" button and the system will automatically recalculate the check result.

ACTION	Gopinath-2010-Frequency-o	f-price-adjustment-and-p	IK K 1/53 Y > >I	CHECKED: 06.07.2022 17:27:52 CORRECTION: 21.09.2022 18:53:38
ext view O	riginal view	💬 (0) 📃 🛛 All blocks	~ < >	17,93% REUSE
				0% SELF-CITATIONS
ER WORKING PA	PER SERIES	Report contains disabled blocks		0% CITATIONS
EQUENCY OF PRI	CE ADJUSTMENT AND PASS-THROUGH	ENABLE ALL		82,07% ORIGINALITY
a Gopinath				

Picture 57. Enable all text blocks button

Also you may find out if there are any disabled text blocks in the workspace. In the list of documents a report that contains disabled text blocks has one more status : "The report contains disabled blocks".



Name 🗘		Upload date 🗘	Originality	
Summer Climate Change in the Midwest and Great Plains due to Agric		29 May 2020 13:40	60,08%	SEE RESULTS
Marine microbial metagenomes sampled across space and time	\bigcirc	29 May 2020 13:40	2,48%	SEE RESULTS

Picture 58. The document's status about presence of disabled text blocks

Please note that text blocks of different sources may intersect with each other - one smaller block may be the part of the bigger block. After deactivating a large text block, the small text block will be deactivated with it.

You may use navigation on disabled blocks to the right of the report's text.

8.1.7. Comments to the report

On the full report page in the original view mode, you can make comments to the report. This functionality is not available in a text view mode. The comments button is located at the top panel of the page. The current number of comments to the report is shown in parentheses next to it. When you click on the button, a drop-down list of suggested actions opens. You can leave your comment and view all comments.

ACTION		Amargasaurus			I< < 1/4 × > 3	CHECKED: 31.0 CORRECTION:	13.04.2022 10:53:25	
Text view Origina	l view		(0)	All blocks	~ < >	96,11%	SIMILARITY	
						0%	TEXT RECYCLING	
ajadasaurus is a genus o	f sauropod dinosaur from th	Early Cretaceous epoch (late				0%	CITATIONS	
erriasian to Valanginian	stages, between 145 and 132	9 million years ago) of				3,89%	ORIGINALITY	
orthern Patagonia, Arge	ntina. It was first described in	2019 based on a single specimen found in						
010 that includes a large	ly complete skull and parts of	the neck. The only species is Bajadasaurus				SOURCES:	7 FROM 7	RECALCULATE
ronuspinax. The genus i	classified as a member of th	e Dicraeosauridae, a group of relatively				96 🗘	Search module 🖓	Sources 🖓
mall and short-necked sa	uropods .							
ajadasaurus sported bifi	ircated (<mark>two-pronged), extre</mark>	mely elongated neural spines extending from	1			[01] 95,41%	Bajadasaurus - gaz.wik Cross language searc	
a seal. Classification and	od spinos are known from th	e closely related and more completely						

Picture 59. Comments button

As you scroll down the document, the comments button moves to the right corner next to the page switching.

↑ UP	0% 9,62% 0,01%	ALL BLOCKS	× < >		(0) IK K	100/252 -> >
	different qualitative interview approaches, including phenomenological,	ethnographic,		SOURCES:	59 FROM 93	RECALCULATE
	feminist, oral history and life history, and dialogic or confrontational	interview, and				
	whilst they all used question-and-answer as their basic formats, the put	rposes of each		96 Ç	Search module ∇	Sources 7
	approach are different. "Phenomenological interviews are commonly u	sed to elicit		[01]	The challenges face	d by teach 💌 🕯
	descriptions of concrete lived experiences [whilst] ethnographic i	nterviews are		47,97%	INTERNET PLUS	
	frequently to do with [questions of] culture and oral history interview	ews have been			■ 8 1	Û

Picture 60. Comments button when scrolling

8.1.7.1. Adding a comment

When you click on "Create Comment", the mouse cursor changes to a special indicator of document areas where you can leave comments. In some areas of the document, the cursor may become translucent and colorless, which means you cannot leave comments on this area. A special mark is set at the place of the click, and a text box opens next to it. A comment length is limited to 250 characters.



1	Jala was	grouped,	egorized	, uans	cribed	1			
pres∈nt	This ter	m must be n	eplaced.			ing	Microsoft I	Excel.	It was the
authent						ıgl	sh as a for	eign l	anguage
You g						h	ample thr	ough	conference
present						ind	ings. In add	lition,	summarie
of the f						idy	for comme	ent and	d checkin
Inter vie	27 from 2	50 symbols		Cancel	Save	W	re sent to	mem	pers of th
inter rie	v sample	poin for ch	ecking and I	or cont	irmatio	m th	at the data o	could s	still be use

Picture 61. Comment creation window

When you save a comment, a comment icon appears near the place where you made the mark.

Interviews can be viewed as a *resource*, offering a "window onto life beyond the view" or as *data* itself "reflecting a reality jointly constructed by the interviewee and the interviewer" together (Rapley, 2001, p. 305). In addition, there are a number of different qualitative interview approaches, including phenomenological, ethnographic, feminist, oral history and life history, and dialogic or confrontational interview, and whilst they all used question-and-answer as their basic formats, the purposes of each approach are different. "Phenomenological interviews are commonly used to elicit... descriptions of concrete lived experiences [whilst] ethnographic interviews are frequently... to do with [questions of] culture and oral history interviews have been used... to construct historical accounts" (Roulston, 2010, pp. 28-29).

Picture 62. Comment icon on the page

If you change your mind about creating a comment, you can click anywhere outside the comment, or click the "Cancel" button in the text box, and it will disappear. After that, the cursor will become standard. To re-comment, click the comment button at the top panel of the page again and select "Create Comment."

8.1.7.2. Actions with comments

Each user with the rights to comment can do the following:

- Viewing;
- Editing;
- Deleting.

You can edit your comments. To do this, click the "Edit" button, make changes and click the "Save" button. If you want to delete your comment, click the "Delete" button and confirm the deletion.

8.1.7.3. View all comments

To view all comments at the report, click on the comments button at the top panel and select



the "View all comments" option in the drop-down list. You will see a modal window with a list of comment links. A comment link displays a full text of the comment in the report. Viewed links are highlighted in grey.

Comment	Page	Creation date
i <u>t's very large style.</u>	page 100	01 Nov 2021 01:47
Why not CCELTA?	page 115	01 Nov 2021 01:53
l don't like the fact that the list of items is torn like that.It is necessary either to shorten the text, or to supplement it. This is not critical, but I would like to see the list on one sheet. It feels better that way.And I think about commission	page 124	01 Nov 2021 01:57
Where is description?	page 126	01 Nov 2021 01:58
Many undeciphered abbreviations	page 133	01 Nov 2021 01:59
Too much indentation. Or change in other cells, or make less here	page 193	01 Nov 2021 02:01
<u>All headings and subheadings have a different alignment. Need to deal with</u>	page 203	01 Nov 2021 02:04

Picture 63. List of report comments

You can click on the comment text only. After the click, the modal window with the comments list will close, a page with the comment will display and a textbox with the comment will open on the page.

8.1.7.4. Access by a direct link

A direct link to a report displays all comments in a read-only mode. You cannot create and edit comments even if you are logged in to the system.


8.1.8. Editing of the sources' list

When viewing the full report, you can, if necessary, to perform the following actions with sources:

- Changing of source type;
- Source exclusion;
- Source recovery.

To manage sources, you can click on the icons in the block on the right side of the full report page.






Picture 64. Source buttons

8.1.8.1. Changing of source type

To change the type of source, you need to click on the "Pencil" icon.



Picture 65. Icon for changing the source type



Clicking on the icon will open a modal window for detailed correction of the source type. In this block, it will be necessary to indicate the new type, the reason for changing the source and your comment on the changes.

The list of reasons depends on the selected source type. For each of the reasons, there is a tooltip that is visible when hovering over the question mark. If you did not find a suitable reason, you can select "Other", but with the obligatory indication of a comment.

wilarity son: * lect a reason icorrect source usage ? nproper source usage ? ot a citation/text recycling ?	similarity ASON: * Gelect a reason Incorrect source usage ⑦ Improper source usage ⑦ Not a citation/text recycling ⑦ Other ⑦	You are going to edit the source type. Plea be displayed in the information about the s		
SON: * lect a reason icorrect source usage ⑦ nproper source usage ⑦ ot a citation/text recycling ⑦	ASON: * delect a reason v Incorrect source usage ⑦ Improper source usage ⑦ Not a citation/text recycling ⑦ Other ⑦	SOURCE TYPE: *		
lect a reason accorrect source usage ? nproper source usage ? ot a citation/text recycling ?	ielect a reason Incorrect source usage ⑦ Improper source usage ⑦ Not a citation/text recycling ⑦ Other ⑦	Similarity	~	
ncorrect source usage ⑦ nproper source usage ⑦ ot a citation/text recycling ⑦	Incorrect source usage ⑦ Improper source usage ⑦ Not a citation/text recycling ⑦ Other ⑦	REASON: *		
nproper source usage ⑦ ot a citation/text recycling ⑦	Improper source usage ③ Not a citation/text recycling ⑦ Other ③	Select a reason	~	
ot a citation/text recycling ⑦	Not a citation/text recycling ⑦ Other ⑦	Incorrect source usage 📀		
		Improper source usage 🕐		
ther ?		Not a citation/text recycling 🕐		
	I	Other 🕐		
A				
	onfirm the source type edit?	Confirm the source type edit?		
	onfirm the source type edit?	onfirm the source type edit?		
firm the source type edit?				

Picture 66. Type, reason for change and comment

The reason and comment will be displayed in reports and printed forms.


D.Bri	ning					CHECKED: CORRECTION:	01.11.2021 01 15.11.2021 04	
Nº v	Report share v	Source v		Vali	from v	Search modu)
[01]	47,97%	The challenges faced by teachers of English as a foreign language to young lea	P	31 0	Reason:	ation on a source Improper source nt: This is my and	e usage	
[02]	42,41%	The challenges faced by teachers of English as a foreign language to young lea	P	31 0	ct 2021	PLUS		
[03]	0%	The challenges faced by teachers of English as a foreign language to young lea	P	31 0	ct 2021	Search modu PLUS	le INTERNET	
[04]	5,84%	not specified		14 N	ov 2021	Citations		

Picture 67. Clarification on the type change in the summary report

8.1.8.2. Source exclusion

To exclude a source, you need to click on the "Trash" icon.





Picture 68. Source exclusion icon

When you click on the icon, a modal window will open to confirm the action with an indication of the reason and a comment. It is obligatory to indicate the reason.



You are going to exclude a source . Once excluded, it sources or taken into account when calculating the pe filter in the sources panel and re-enable it.	
To exclude a source, provide the reason for exclusio information about the source, as well as in the printed	
REASON FOR SOURCE EXCLUSION: *	- cporta
Select a reason	~
The linked source text is not available ⑦ The source was published later than the document ⑦ Copy of the checked document ⑦ Copy of a source from the list of sources ⑦ The document is not a paraphrase of a source ⑦ No cross-lingual text reuse from the source ⑦ Incorrectly defined bibliography ⑦ Low overlapping percentage ⑦	•

Picture 69. Source exclusion icon

8.1.8.3. Source recovery

If you need to restore an excluded source, first, in the block on the right, you need to filter the sources by their status. To do this, in the filter panel, select "Sources" and select "excluded sources" from the list. The content of the block will be reloaded, instead of the exclude icon, the source restore icon will appear.



SOURCES:	0 FROM 93 RECALCULATE
96 🗘	Search module 7 Sources 7
[04] 0%	not spe active sources Citation excluded sources
[60] 0%	М-во образования и науки Р 🔹 RSL 🗐 🖉 🖉 🕞
[61] 0%	Назаров, Александр Дмитри 👽 RSL 🗐 🖉 🖉 ট
[62] 0%	Фетви Адгой Джилия Ресурс 🔹 RSL 🗐 🖉 🖉 ট
[63] 0%	Transforming peasants, prope ELS joint collection Image: Collection

Picture 70. Source recovery

When you click on the restore source icon, a modal window for confirming the action will open.



RESTOR	E A SOURCE			\times
		y excluded source . Onc to account when calculat	e restored, it will be displa ting percentage.	yed in the
Confirm the re	storation of a source?			
CANCEL			RESTO	RE THE SOURCE

Picture 71. Recovery confirmation


Upon confirmation of the action, the source will reappear in the list of active ones.

8.1.9. Editing text similar blocks

You may adjust the result of the check not only by removing the source, but also by disabling individual similar blocks in the text. This allows you to ignore the selected blocks when calculating the percentage of text similarity or quotation.

To disable the particular block in the report, click it with the left mouse button. The "Deactivate" button appears. After clicking the "Deactivate" button, the block will change its color to gray. The system will automatically recalculate the percentage of text similarity without taking into account the block you have turned off.





To restore the block in the report, find the disabled block and click on it. The "Enable" button appears. Click on it, and the result will be recounted.

You can see if there are any blocks off, and include all the blocks in the results panel at once. To enable the blocks, click the "Enable all" button, the system will automatically recalculate the result of the check.

ACTION		Gopinath-2010-Frequency-of-price	e-adjustment-and-p	I< < 1/53 × > >I	CHECKED: 06.07.2022 17:27:52 CORRECTION: 21.09.2022 18:53:38
ext view	Original view		ncy-of-price-adjustment-and-p I< < 1/53 ∨ > >I		
					0% SELF-CITATIONS
BER WORKIN	IG PAPER SERIES				
EQUENCY O	F PRICE ADJUSTMENT AND I	PASS-THROUGH	ENABLE ALL		82,07% ORIGINALITY
ta Gopinath					

Picture 73. Enable all text blocks button

If any report has disabled similar blocks, you can find out about them in your workspace. In the list of loaded documents, the report, which contains the disabled blocks, has another status "The report contains disabled blocks".



Name 🖕		Upload date 🗘	Originality	
Summer Climate Change in the Midwest and Great Plains due to Agric	\odot	29 May 2020 13:40	60,08%	SEE RESULTS
Marine microbial metagenomes sampled across space and time	\oslash	29 May 2020 13:40	2,48%	SEE RESULTS

Picture 74. Document status on the presence of disabled blocks

Please note that the blocks from different sources can overlap – one smaller block may be the part of the larger block. If you deactivate a larger block, the small block will be deactivated as well. Moreover, the shutdown of the small unit will occur on all sources to which it is included.

If the blocks intersect partially, only those fragments of the block that are not included in the intersection are disabled.

To save time when viewing disabled blocks in a report, use the navigation in the menu at the top of the report text. Click on the "All blocks" button. A navigation window will appear. Select "Disabled blocks". With it, you can go to the next or previous block by clicking on the left ("Previous") or right ("Next") buttons.



Picture 75. A navigation window in the full report

8.2. Brief report

To go to the brief report view page, click the "See results" button located on the line with the checked document. After this select "Brief report" button.



		_					
Originality	18,08%	Similarity	5,35%	Citations	0,62%	Text recycling	75,95%
FULL REPORT	BRIEF REPORT	REPORT HISTORY			PRINT V	± export ∨ G	🕀 CREATE LINK 🗸
Document proper	rties	Initial file name	Carrier Inte	raction in Quantum Nanosy	rstems.pdf		
Document structu	re	Document authors	not specifie	d	not specified		
		Document name	Carrier Inte	raction in Quantum Nanosy	rstems		
Search by images	NEW	Document type	Not specifie	d			
 Text metrics NEW 		EDIT PROPERTIES					

Picture 76. Brief report selection

Brief report consists of distribution of percentages of originality, text similarity, quotes and text recycling as well as a list of similarity sources.

	ef repo		FULL REPORT	D WORKSPACE MORE				SIMILARITY 95,41%	
mar	gasaurus	5					ECKED: 31.08.2021 1 CTION: 26.12.2022 1		
N₂ ∽	Report share v	Text share v	Source v	Valid from $$	Search module v	Report blocks v	Text blocks v	CITATIONS 0%	
[01]	95,41%	95,41%	Bajadasaurus - gaz.wiki	P before 2011	Cross language search	5	5	ORIGINALITY	
[02]	0%	70,44%	Bajadasaurus Jurassic P	a before 2011	Cross language search	0	8	4,59%	
[03]	0%	68,38%	Bajadasaurus pronuspin	a before 2011	Cross language search	0	10	SOURCES: 7	
[04]	0%	1,01%	Amargasaurus	8 31 Aug 2021	Search module INTERNET PLUS	0	2		
[05]	0%	0,72%	efimenko_m_v_koncepciy	14 May 2020	Institutes Unity collection	0	1		
[06]	0%	0,58%	Suchomimus	8 31 Aug 2021	Search module INTERNET PLUS	0	1		
[07]	0%	0,44%	Zoo - RIN.ru	@ 31 Aug 2021	Search module INTERNET PLUS	0	1		

Picture 77. Brief report

For most sources in the list there is an external link to the location of the document or source text on the Internet. To go to the web page, click the icon next to the source name.

Nº v	Report share v	Source v		Valid from 🗸	Search module 🗸
[01]	21.03%	1036988214-MIT.pdf	P	10 Oct 2018	Search module INTERNET PLUS
[02]	0%	Downloadable Full Text	P	08 Oct 2018	Search module INTERNET PLUS
[03]	0.43%	Downloadable Full Text	P	04 Apr 2020	Search module INTERNET PLUS

Picture 78. Link in the list of sources to the source page on the Internet

In the top panel of the page you will see the icon buttons, allowing you to proceed to the following actions:

• parameters for checking;



- export of the report;
- downloading the Certificate;
- save the edited report;
- link to user manual;
- view reports history;
- report printing layout;
- view text metrics;
- get a direct link to the report.

To get more information about the results of the check, open the full report by clicking on the "Report" button.

8.3. Report with formatting

A formatted report allows you to view the results of the document check while maintaining the original formatting (indentation, fonts, titles) and displaying tables and figures.

To view the report with the formatting, switch the tab "Text view" to the tab "Original view".

HOME / WORKSPACE / CHECK RES	JLTS / FULL REPORT			
	Troitskaya			i< < 1 /14 ▼ > >i
Text view Original view	v	(0)	All blocks	* < >
40 ACTA NATURAE VOL. 14	No 1 (52) 2022			
REVIEWS				
ABSTRACT Apoptosis plays a cr	ucial role in chemotherapy-induced cell death. Th	e conventional theory hold-		
ing that apoptosis needs to be	immunologically silent has recently been revised,	and the concept of immuno-		
genic cell death (ICD) has been	proposed. This review describes the main feature	s of ICD induction. These		
ICD markers are important for	the effectiveness of anticancer therapy, as well as	for basic research into cell		
death regulation. The mechanis	sm of the "vaccination effect" of dying cancer cell	s undergoing ICD has been		

Picture 79. Original document view in the full report

The Original view tab, as well as the Text view tab, displays reused parts and a list of sources, but the markup is applied to the original formatting of the document.

It is worth noting that when you export the pdf report, the text of the document is downloaded without any formatting.

You can view the document in its original form in the "Version for reading". To do this, click on the name of the document in your account. The text view of the document opens, then click the "Original view" tab.



Version for reading

Summer Climate Change in the Midwest and Great ...

TEXT VIEW	ORIGINAL VIEW	I< < 1/18 ▼ > >I
Summer Clim	ate Change in the Midwest and Great Plains due	
to Agricultura	l Development during the Twentieth Century	
The MIT Facu	lty has made this article openly available. Please share	
how this acce	ss benefits you. Your story matters.	
Citation Nikie	l, Catherine A. and Elfatih A. B. Eltahir et al. "Summer Climate	
Change in the	Midwest and Great Plains due to Agricultural	
Development	during the Twentieth Century." Journal of Climate 32,	
17 (Septembe	er 2019): 5583-5599. © 2019 American Meteorological	
Society		

Picture 80. Original document view in the Version for reading

Please note that when adding for check files in txt, htm, html, pptx format, direct text input, you cannot view the original formatting of the document.

8.4. Document Structure

You can find sections of the checked document on the check results page in the "Document Structure" tab. The structure is extracted automatically while document is being checked for similarity.

Here you can see information about the following sections:

- Title page;
- Content;
- Main part;
- Bibliography;
- Appendix.



(i) System can now determine the structure of the document and display the sections found. A feature to account for structure when checking a document will be added at a later time.

LIST OF SECTIONS IN THE DOCUMENT	DOCUMENT STRUCTURE
😑 TITLE	BIBLIOGRAPHY
✓ Included in check	✓ Included in check
Number of pages: 1	Number of pages: 7
On pages: p.1	On pages: p.8-14
 Share of the document text: 1,11%	Share of the document text: 28,89%
CONTENT	APPENDIX
 ✓ Included in check	✓ Included in check
 not found	Number of pages: 3
	On pages: p.14-16
MAIN	Share of the document text: 10,15%
✓ Included in check	
Number of pages: 7	
On pages: p.2-8	
Share of the document text: 59,83%	
* The colored blocks in the document thumbnai	l indicate the sections found. The order of
blocks matches the order of sections in the docu	ument; the size of blocks does NOT match the
size of sections in the document. Partitioning in	the document is available by clicking the
"Document structure" button.	

Picture 81. Document Structure

The following information is provided for each section:

- Whether it has been included in the check or not;
- The number of pages in the section;
- Page numbers for each section;
- Section's text share compared to the text of the entire document

If a section has not been found by the system, a special notification will be displayed.

The block on the left shows a diagram of the document structure. Each section is marked in its own color. The sequence of the sections on the diagram reflects the sequence of the sections in the document.

When you click on the "Document Structure" button, a detailed analysis of the document divided by structure opens in a new tab.



	IK < 15/16 v > >I	
Appendix		
Data Overview and Links to Materials	CONTENT	
We outline the sources of each component of our data below.	Contait	
- Mask use by zip code The New York Times commissioned Dyna	ket re- MAIN	
search firm, to collect a large scale survey in the United States abo	study	
the primary outcome of interest described in The New York Time	of the	
data: the probability (chance) that, if one has five random encount	COUN- BIBLIOGRAPHY	
tered are wearing masks. Zip code level measures are produced	raphic	
location of survey responses. Data was retrieved using a web c		
additional information, see: 'A Detailed Map of Who Is Wearing		
Josh Katz, Margot Sanger-Katz and Kevin Quealy. July 17, 2020.	The in the document. He	
- County-level administrative covariates Economic and politica	drawn yказано Number of pages: 3	
from Fajgelbaum et al. (2019) and available for download here:	01SF. On pages: <u>14</u> - <u>16</u>	
Data on social capital and demographic information are derived fro	f mea-	
sures published by the United States Census Bureau and collate	States	
Congress Joint Economic Committee. For more details see "Th	Social	
Capital in America' https://bit.ly/39HJUEy. Additional data, incl	capital	
index, are drawn from an updated version of the data published	Goetz	
and Freshwater (2006).		
- Zip code-level administrative covariates The rural index is base	sifica-	
tion system established by the United States Department of Agr	ic Re-	
search Service. Whole numbers (1-10) delineate metropolitan, mi	town,	
and rural commuting areas. We thank Thomas Pepinsky for shari	ersion	
of this data, which is used in work on partisanship and COVID-1	larian,	
Goodman and Pepinsky, 2020). For more details, see https://bit.ly		
- COVID-19 cases and deaths County-day level information about	es and	
related deaths are tracked and compiled by the New York Times fro	nment	
A-1		

Picture 82. Appendix

The panel on the right contains blocks with the sections. When you click on the block, you can see the information on the particular section. Clicking on the page number takes you to the respective page of the document. The text in the document is highlighted by the color of the corresponding section.

On this page you can edit the structure of the document recognized by the system if you see any errors. The following actions are available to you:

- adding a section;
- changing the borders of a section;
- deleting a section.

8.4.1. Adding a section

To add a new section that was not recognized by the system automatically, you need to open the menu for the desired section and click the "Add section" button.

Picture 83. "Add section" button

After clicking this button, you will need to put markers for the beginning and end of the section being added. The start marker appears first. It should be placed on the first line of the section in any place. After setting the start marker, you need to put the end marker on the last line of the section in the same place. If everything is put down correctly, click "Apply" to complete the markup of the section.

Picture 84. Adding a section



8.4.2. Changing the section borders

You can edit the borders of an existing section. To do this, click on the "Change borders" button near the beginning or end of the section. Then you can left-click on the marker that you want to move. With the next mouse click, you can set the marker to a new position. When you are satisfied with the changed section borders, click "Apply" to complete the editing.

Picture 85. Changing the section borders

8.4.3. Deleting a section

You can also delete a section if it was identified incorrectly and needs to be removed. To do this, click the "Delete section" button at the beginning or end of the section. Please note that you cannot delete the "Main part" section, since it is mandatory.

Picture 86. Deleting the section

8.4.4. Saving changes and refreshing check results

After making changes to the structure of the document, they need to be saved. To do this, click the "Save" button at the top of the screen.

Picture 87. Saving changes in the structure

Please pay your attention that after saving the changes in the structure, they are not automatically applied to the report. In order to see the results of checking the document with the updated structure, you need to recheck the document. For more information, see <u>Document</u> <u>recheck</u>

8.5. Suspicious document

A suspicious document is a document that shows signs of technical ways to change the text or format, such as replacing characters, inserting invisible text, etc. Such signs may indicate that the author tried to cheat the system to hide text reuses and artificially increase the originality percentage. If such signs of cheating have been found in the document, a special flag will be put for it in the workspace and the list of documents of the company.

Q Search by document name			I< < 1 /1 ▼ >
	Upload date 💲	Originality	
Dynamic Learning and Pricing with Model Misspecification	(C) 17 Jun 2020 18:58	100%	SEE RESULTS
Summer Climate Change in the Midwest and Great Plains due to Agric	29 May 2020 13:40	59,79%	SEE RESULTS
Marine microbial metagenomes sampled across space and time	29 May 2020 13:40	2,48%	SEE RESULTS

Picture 88. Suspicious document indicator in the Workspace

Please note that if you see a suspicious flag, we recommend that you carefully read the check report and the suspicious fragments found in the document. Detection of suspicious documents is an auxiliary tool for analysis. The final decision is always up to the verifier.




The information that the document shows signs of a cheating is displayed in the check reports, in the printable versions, and in the downloaded reports. In a brief report the page numbers with the detected potential cheating attempts are displayed.

CHEC	ef repo K RESULTS 🗹 EX ent's thes	PORT 🖳 CERTIFI	FULL REPORT	ORKSPACE MORE				SIMILARITY 85,23% TEXT RECYCLING 0%
N₂ ∽	Report share v	Text share v	Source v	Valid from 🗵	Search module 🗸	Report blocks v	CKED: 06.12.2022 12:08:22 Text blocks v	CITATIONS 0%
[01]	54,98%	78,02%	petrova_v_s_proekt-empi	29 Oct 2017	Institutes Unity collection	144	178	ORIGINALITY
[02]	1,72%	17,66%	How Does Owning a Dwe	30 Apr 2022	Institutes Unity collection	10	56	14,77%
[03]	2,72%	16,98%	Accounting and Valuatio	29 Apr 2022	Institutes Unity collection	12	57	SOURCES: 65
[04]	1,72%	14,98%	How Does Owning a Dwe	01 May 2022	Institutes Unity collection	5	49	
[05]	0,8%	13,17%	Does It Pay to Bet Agains	8 30 Apr 2016	Wiley Open Library	3	51	The following reuse hiding
[06]	1,58%	12,97%	Does It Pay to Bet Agains	8 30 Apr 2016	Search module of Wiley Open Library paraphrases	4	30	methods may have been used:: INSERTION Pages: 4, 10, 11, 12, 15, 16, 18, 20, 21 more on page 22
[07]	1,8%	10,89%	Gaussian Processing Mo	01 May 2022	Institutes Unity collection	3	34	TEXT COHERENCE
[08]	0,86%	10,65%	Owning a Dwelling or Ha	01 May 2022	Institutes Unity collection	3	37	This document may contain an attempt to cheat the system. Be
[09]	2,5%	8,47%	https://aisberg.unibg.it/r	8 25 Nov 2022	Internet search module	7	22	careful when working with the report.

Picture 89. Brief report for a suspicious document

The printable version of the check report provides information about potential cheating attempts. It shows the types of cheating and page numbers where suspicious fragments have been found. Similarly, information is displayed in the downloaded versions of reports.



Picture 90. Printable version for a suspicious document

A special block with a suspicious mark is displayed in the full report for a suspicious document. Click on the suspicious sign in the top menu. A window with the words "Suspicious document" and the "Details" button will appear. Click "Details" to go to the "Suspicious document" page and view detailed information about the suspicious text fragments. If the loaded document does not have formatting, instead of transferring to the "Suspicious document" page, the system will display page



numbers with potential attempts to cheat the system.

HOME / WORKS	PACE / CHECK RESULTS	/ FULL REPORT						
		Student's thesis_1			I< < 22/49 × >	>1	CHECKED: 06.12.	2022 12:08:22
Text view	Original view		(n) \Lambda	All blocks	~ <	>	85,23%	SIMILARITY
TEACTION	onginar view		to	All blocks		-	0%	TEXT RECYCLING
Table 1: Portf	olio Summary Statisti	cs, July 1930 to December 2016	Suspicious doci	ument			0%	CITATIONS
The table rep	orts summary statisti	cs for beta-sorted value-weighted portfolios. "H" corresponds to	DETAILS				14,77%	ORIGINALITY

Picture 91. Full report for a suspicious document

Please note that if the uploaded document has no formatting, then instead of the link to "Suspicious document" there are the page numbers with potential cheating attempts displayed in the full report.

You may also access information about possible cheating on the "See Results" page. To do this, click on the "Details" link in the red suspicious document warning block.

HOME / WORKSPACE / CHE	CK RESULTS						
Attention! The	document is suspiciou	s: attempts to hide reus	e have been found. <u>Deta</u>	<u>ails</u>			
Originality	14,77%	Similarity	85,23%	Citations	0%	Text recycling	0%
FULL REPORT	BRIEF REPORT	REPORT HISTORY			🖨 PRINT 🗸	Ł EXPORT ∨	C→ CREATE LINK ∨



The "Suspicious document" page displays detailed information about the suspicious fragments found in the document. You can read the text of the document in the form in which it was uploaded into the system (keeping the original formatting). If a fragment is found on the document page that may containg cheating attempt, it is marked in red.

Suspicious document [®]	
Vector methods of analysis cheating	This page displays possible attempts at cheating the system. Be careful when working with the
I< < 1/2 v > >1	document
The New University	IN DOCUMENT ON PAGE
MASTER'S THESIS Matthew Blatt	The following cheating methods have been detected in the document:
Application of vector methods of analysis for validation of the hypotheses	INSERTION ①
Chapter 1	
Introduction	
Historically, model checking has been successfully used to find errors in	
hardware and protocol designs. Later, it was adapted to analyze software	

Picture 93. "Suspicious document" page

To view information about suspicious fragments for the entire document, click the "In document" tab in the right panel. To view the page numbers, click the name of the cheating method. To go to any of the listed pages, click on the desired number.




e following cheating me tected in the document:	
INSERTION ①	^
Very small text	
On pages:	
1	
Small font	
On pages:	
1	
Change text color to b	oackground
On pages:	
1	

Picture 94. "In document" tab

The "On page" tab provides information about suspicious fragments on the selected page of the document. To display certain cheating methods, check them and uncheck the others. The selected cheating methods are highlighted in red on the page, the removed cheating methods are underlined with a red line. To select all suspicious fragments on the document page at once, click on "Display all". In order to remove the selection from all the suspicious fragments, click on "Hide all".

It is also possible to review the text of the cheating, if it was extracted during the document processing.





Picture 95. Text revision on the "On page" tab

If the document does not contain cheating, you can disable the "Suspicious document" flag. To disable the flag, use the enable/disable button in the upper right corner of the "Suspicious document" page. You can leave a comment explaining why you disabled the "Suspicious document" flag. If you view the "Suspicious document" page through a direct link, you will not be able to disable the "Suspicious document" flag.

IMPORTANT!!	▲ FLAG ENABLED
You are removing the "Suspicious document" flag. You can include a comment explaining why a flag was removed.	This page displays possible attempts at cheating the system. Be careful when working with the document
Information on manually removing a flag will be output in printed reports. Are you sure you would like to remove the "Suspicious document" flag?	
i our commerci	

Picture 96. Disable the "Suspicious document" flag

If you disable the "Suspicious document" flag:

- the respective icon will not be displayed in the Workspace;
- the brief report will not display information about the cheating;
- in the downloaded forms of reports and in a printable versions the information will appear in the "Suspicious document" section that the flag was disabled, and comments will be displayed;
- in the full report, you will see that the "Suspicious document" flag has been removed the



corresponding icon will become gray;

• you still have access to the "Suspicious document" page.

	R WORKSPACE / CHECK RESULTS / FULL REPORT 342			I I CHECKED: 07.07.2022 13:12:52 CORRECTION: 07.07.2022 13:30:19			
Text view	Original view		(1) All blocks	~ < >	99,99%	REUSE	
					0%	SELF-CITATIONS	
81					0%	CITATIONS	
1. Preceptor in	Neurosurgery, Hosp	pital Cristo Redentor, Porto Alegre, RS, Brazil.			0,01%	ORIGINALITY	
2. Professor o	f Orthopaedics and Tr	raumatology, ULBRA, Porto Alegre, RS, Brazil.					
Trabalho reali	zado no Moinhos de	Vento Hospital, Porto Alegre, RS, Brazil.			SOURCES:	25 FROM 27	RECALCULATE

Picture 97. Disabled "Suspicious document" flag in the full report

Potential cheating attempts view is different for documents that have been uploaded prior the availability of cheating detection function. For a brief report, the printable version and downloaded reports the text will be placed in "Suspicious document" blocks with a warning of the presence of suspicious fragments. For a full report, you will see the same text when you hover over the "Suspicious document" page is not available in this case.

Suspicious document		A FLAG DISABLED	Disab
342		This page displays possi hiding. Be careful when	ble attempts at reuse working with the
	IC < 1/3 v > >I	document	
		IN DOCUMENT	ON PAGE

Picture 98. Potential cheating attempts view for old versions - full report

8.6. Downloading the report

Downloading the report will allow you to save the report as a PDF file. To download the report to your computer, click on the "Export" button on the report viewing page.

Export report 🛛					
() REPORT INFORMATION					
Symbolic Invariant Verificatio	n for Systems			CHECKED: CORRECTION:	
Report type	Program for opening the file	Status	Retrieve report	Viewer	
STANDARD (PDF)	Adobe Reader.	Not generated	EXPORT	Go to the pro	ogram's website

Picture 99. Report downloading status window

Page will appear "Export report". To start the report generation, click on the "Export" button. After some time, the button will change to "Download". Click on the "Download" button to download the file. The download will start automatically, or the file download and save dialogue window will open, depending on your browser settings.

In the downloaded report you will see information about the report and the loaded document, a terminological block with the description of the terms "Similarity", "Quotes", "Originality", "Text recycling", a list of sources and text with markup of quotation blocks (if the user unloads the full report).

8.7. Direct link to report from "See results" page



A direct link to the report allows you to give access to the report to any user, including users unauthorized in the system. This link allows you to view the report, however you cannot make changes to the report.

To get a direct link to a report, select the document in the workspace and click the "See results" button. After this click on "Create link" button and select "To full report" or "To brief report" in the drop-down list. A link to the selected type of report will be copied in the clipboard.

Originality	3,89%	Similarity	96,11%	Citations	0%	Text recycling	0%
FULL REPORT	BRIEF REPORT	EPORT HISTORY			🖨 print 🗸	🛓 EXPORT 🗸	CO CREATE LINK V
							To brief report

Picture 100. Direct link to the report from "See results" page

Also you may get a direct link to a report from "Full report" or "Brief report" pages. For example, to get a direct link to a full report, open the "Full report" page and click "More" in the top menu, then click the "Direct link to the report" button. A link to the full report will be copied in the clipboard.

(i) PARAMETERS F	OR CHECKING	C EXPORT			MORE
D					Manual
Dynamic L	earning	g and P	ricing wit	n Mo	Report history
					Printable version
TEXT VIEW	ORIGINAL	VIEW		ſ	Direct link to the report

Picture 101. Direct link to the report from "Full report" page

The mechanism for obtaining a direct link to a short report is the same as to a full report. An external user who has followed a direct link will be able to view the report and text metrics (if this function is enabled), print the report to a page, and export the report (if this function is enabled). You cannot edit a report using a direct link.

The user can also share a link to a recheck report or a report with corrections. To do this, in the report history, open the version of the report or adjustment you are interested in. After that, perform the steps described above.

8.8. Certificate

Verification certificate is the filled form with the results of the check.

Please note that the functionality allows you to download only a filled form, which is not a legally significant document. You can certify it in your organization. Only your organization can give the legal effect to it.

To download certificate select the document in the workspace and click the "See results" button. After this click on "Download" button and select "Certificate" in the drop-down list.





Picture 102. "Certificate" button on the "See results" page

Also you may download certificate from "Full report" or "Brief report" pages. To do this, open the page with the report and click on the "Certificate" button in the top menu.

Full report 🛛	BRIEF REPORT			
(i) PARAMETERS FOR CHECKING	EXPORT CERTIFICA	TE SAVE MORE		
Brief report	FULL REPORT			
(i) PARAMETERS FOR CHECKING	EXPORT CERTIFICATI	E 🔇 REPORT HISTORY	EXIT TO WORKSPACE	MORE

Picture 103. "Certificate" button

Window of downloading of certificate's form will open. Fill in the required field "Author full name". After filling of the fields, click on "Generate certificate" – this will start the loading of the form.



CERTIFICATE	(\times)
AUTHOR FULL NAME*	
Matthew Blatt	
DEPARTMENT, CHAIR, GROUP NUMBER ?	
PAPER TYPE ⑦	
Not specified	
PAPER NAME	
Non-linear depreciation method at the hea	avy metallurgy companies
CANCEL	GENERATE CERTIFICATE

Picture 104. Form of downloading of the certificate's form

The user with the "Student" role also may download a certificate from the student's workspace. To do this, tick the selected paper and click on the "Certificate" button in the top panel. After that the dowloading of the certificate's form will start.

Vorkspace 📀	The unconscious part of human's mental processe	is constantly directs on a				I< < 1/1 v
UPLOAD BY TASK CODE	Task	Deadline	Uploaded paper	Upload date	Grade	Report
UPLOAD TO TASK	Scientific hypothesis	10 Aug 2018 00:00	Non-linear depreciation meth	09 Aug 2018	viewed	0,12%

Picture 105. "Certificate" button in the student's workspace

The created form displays information about the author and the paper, the percent of similarity, quotes, text recycling and originality, the date of evaluation, the list of search modules (for which the evaluation was made), the user, who evaluated the paper. The "Signature date" and "Signature of reviewer" fields are left empty to be filled in by hand.



CERTI	FICA	ATE					testvuz3
on the resu for reuse	ilts of c	hecking a tex	t document.				
THE CHEC	K WAS	PERFORMED	IN THE SYSTEM				
Author nam Self-citation calculated f Paper name Paper type: Subdivision	n is for: e:	Amargasau Not specifie IT Faculty					
RESULTS	SIMIL ORIG CITA	JDIT REPORT REV LARITY INALITY TIONS RECYCLING	ISED: BELOW ARE THE	96.11% 96.11% 3.89% 0% 0%	SIMILARITY ORIGINALITY CITATIONS TEXT RECYCLING	•	95.41% 4.59% 0% 0%
	DATE	OF LAST CHECK: 3	31.08.2021		DA	TE AND TIME OF ADJUSTMENT: 2	6.12.2022 13:12
Search mod	dules:	Search mod language se language se language se and abstrac module of l	dule INTÉRNET P earch on eLIBRA earch over the In earch (PLEn); eLi cts of National Li internet paraphra	LUS; RSL collection RY.RU (EnRu); Cross ternet (EnRu); Cross IBRARY.RU collectio brary of Belarus; Se uses; Patents collect	Citations; Cross la language search o language search o n; GARANT collections arch module of eLIf tion; Media collections	paration module; ELS joi inguage search (RuEn); on eLIBRARY.RU (PLRu); over the Internet (PLRu); on; Medical collection; I BRARY.RU paraphrases; on; Search module of co oss language search	Cross Cross Cross Dissertations Search
Checked	by:	Expert's n					
Signature	e date:	Verifier's full	name				
							Verifier's signature

Picture 106. Filled form of the certificate

9. Contact information

For technical support, please contact: support@eaarjav.com

If you have questions about purchasing the service for organizations, please contact our Sales department: sales@eaarjav.com